



Cluster and Space Weather

C. P. Escoubet and M. Fehringer

ESA/ESTEC, Noordwijk, The Netherlands

- Cluster support for Space Weather
- S/C and mission status (first results)
- Data distribution
- Conclusion

Philippe.Escoubet @esa.int




Cluster support for Space Weather

- Limitations:
 - non-real time mission
 - 50% duty cycle (100% from July 2001)
- Advantages:
 - 4 spacecraft -> new observations, model refinements.
 - complete instrumentation (E, B, waves, particles)
 - fast access to processed data from all instruments

Philippe.Escoubet @esa.int



Spacecraft and Mission status




- Mission operation 1 Feb. 2001
- All four S/C in perfect shape
- Both long and short eclipses successfully passed
- Separation: 600, 2000 km


Philippe.Escoubet @esa.int



Solar storm of 8 November 2000











SOHO LASCO







- Debut: 23:06 UT
- 23:26 UT

Philippe.Escoubet @esa.int









CLUSTER



Conclusion

- Cluster mission is not a “space weather” mission
- Cluster is contributing to space weather by:
 - understanding the magnetosphere during all conditions (normal and extreme) in 3 Dimensions
 - making new measurements to refine models of the magnetosphere and its environment
 - allowing free access to data through CSDS

Philippe.Escoubet @esa.int